

Make Vaetrix High Alarm (Disabled) Disabled  
 Model ETG-3K-I-BT Low Alarm (Disabled) Disabled  
 Serial Number 1541348789  
 Firmware Version P0.10  
 Units PSI  
 Run Index 3  
 Logging Interval 1  
 Start Time 18-Feb-19 9:12:09 AM  
 Stop Time 18-Feb-19 9:13:55 AM

Pressure (PSI)

Time (Seconds)	Pressure	High Alarm (Disabled)	Low Alarm (Disabled)	Time (hours)	Time (minutes)	Elapsed Time	Timestamp
0	0.0			0.00	0.00	0:00:00	18-Feb-19 9:12:09 AM
1	0.0			0.00	0.02	0:00:01	18-Feb-19 9:12:10 AM
2	0.0			0.00	0.03	0:00:02	18-Feb-19 9:12:11 AM
3	0.0			0.00	0.05	0:00:03	18-Feb-19 9:12:12 AM
4	0.0			0.00	0.07	0:00:04	18-Feb-19 9:12:13 AM
5	0.0			0.00	0.08	0:00:05	18-Feb-19 9:12:14 AM
6	0.1			0.00	0.10	0:00:06	18-Feb-19 9:12:15 AM
7	0.1			0.00	0.12	0:00:07	18-Feb-19 9:12:16 AM
8	0.0			0.00	0.13	0:00:08	18-Feb-19 9:12:17 AM
9	0.0			0.00	0.15	0:00:09	18-Feb-19 9:12:18 AM
10	0.1			0.00	0.17	0:00:10	18-Feb-19 9:12:19 AM
11	0.1			0.00	0.18	0:00:11	18-Feb-19 9:12:20 AM
12	0.1			0.00	0.20	0:00:12	18-Feb-19 9:12:21 AM
13	0.1			0.00	0.22	0:00:13	18-Feb-19 9:12:22 AM
14	0.1			0.00	0.23	0:00:14	18-Feb-19 9:12:23 AM
15	0.1			0.00	0.25	0:00:15	18-Feb-19 9:12:24 AM
16	0.1			0.00	0.27	0:00:16	18-Feb-19 9:12:25 AM
17	0.1			0.00	0.28	0:00:17	18-Feb-19 9:12:26 AM
18	0.1			0.01	0.30	0:00:18	18-Feb-19 9:12:27 AM
19	0.0			0.01	0.32	0:00:19	18-Feb-19 9:12:28 AM
20	0.0			0.01	0.33	0:00:20	18-Feb-19 9:12:29 AM
21	0.0			0.01	0.35	0:00:21	18-Feb-19 9:12:30 AM
22	0.0			0.01	0.37	0:00:22	18-Feb-19 9:12:31 AM
23	0.0			0.01	0.38	0:00:23	18-Feb-19 9:12:32 AM
24	0.0			0.01	0.40	0:00:24	18-Feb-19 9:12:33 AM
25	0.0			0.01	0.42	0:00:25	18-Feb-19 9:12:34 AM
26	0.0			0.01	0.43	0:00:26	18-Feb-19 9:12:35 AM
27	0.0			0.01	0.45	0:00:27	18-Feb-19 9:12:36 AM
28	0.0			0.01	0.47	0:00:28	18-Feb-19 9:12:37 AM
29	0.0			0.01	0.48	0:00:29	18-Feb-19 9:12:38 AM
30	0.0			0.01	0.50	0:00:30	18-Feb-19 9:12:39 AM
31	0.1			0.01	0.52	0:00:31	18-Feb-19 9:12:40 AM
32	0.1			0.01	0.53	0:00:32	18-Feb-19 9:12:41 AM
33	0.0			0.01	0.55	0:00:33	18-Feb-19 9:12:42 AM
34	0.0			0.01	0.57	0:00:34	18-Feb-19 9:12:43 AM
35	0.0			0.01	0.58	0:00:35	18-Feb-19 9:12:44 AM
36	0.0			0.01	0.60	0:00:36	18-Feb-19 9:12:45 AM
37	0.0			0.01	0.62	0:00:37	18-Feb-19 9:12:46 AM
38	0.0			0.01	0.63	0:00:38	18-Feb-19 9:12:47 AM
39	0.0			0.01	0.65	0:00:39	18-Feb-19 9:12:48 AM
40	0.1			0.01	0.67	0:00:40	18-Feb-19 9:12:49 AM
41	0.0			0.01	0.68	0:00:41	18-Feb-19 9:12:50 AM
42	0.1			0.01	0.70	0:00:42	18-Feb-19 9:12:51 AM
43	0.1			0.01	0.72	0:00:43	18-Feb-19 9:12:52 AM
44	0.1			0.01	0.73	0:00:44	18-Feb-19 9:12:53 AM
45	0.0			0.01	0.75	0:00:45	18-Feb-19 9:12:54 AM
46	0.0			0.01	0.77	0:00:46	18-Feb-19 9:12:55 AM
47	0.1			0.01	0.78	0:00:47	18-Feb-19 9:12:56 AM
48	0.1			0.01	0.80	0:00:48	18-Feb-19 9:12:57 AM
49	0.0			0.01	0.82	0:00:49	18-Feb-19 9:12:58 AM
50	0.0			0.01	0.83	0:00:50	18-Feb-19 9:12:59 AM
51	0.0			0.01	0.85	0:00:51	18-Feb-19 9:13:00 AM
52	0.2			0.01	0.87	0:00:52	18-Feb-19 9:13:01 AM
53	0.3			0.01	0.88	0:00:53	18-Feb-19 9:13:02 AM
54	1.0			0.02	0.90	0:00:54	18-Feb-19 9:13:03 AM
55	1.3			0.02	0.92	0:00:55	18-Feb-19 9:13:04 AM
56	176.9			0.02	0.93	0:00:56	18-Feb-19 9:13:05 AM
57	239.4			0.02	0.95	0:00:57	18-Feb-19 9:13:06 AM
58	306.9			0.02	0.97	0:00:58	18-Feb-19 9:13:07 AM
59	423.7			0.02	0.98	0:00:59	18-Feb-19 9:13:08 AM
60	613.8			0.02	1.00	0:01:00	18-Feb-19 9:13:09 AM
61	810.7			0.02	1.02	0:01:01	18-Feb-19 9:13:10 AM
62	1,054.4			0.02	1.03	0:01:02	18-Feb-19 9:13:11 AM
63	1,111.2			0.02	1.05	0:01:03	18-Feb-19 9:13:12 AM
64	1,353.7			0.02	1.07	0:01:04	18-Feb-19 9:13:13 AM
65	1,582.2			0.02	1.08	0:01:05	18-Feb-19 9:13:14 AM
66	1,639.6			0.02	1.10	0:01:06	18-Feb-19 9:13:15 AM
67	1,811.5			0.02	1.12	0:01:07	18-Feb-19 9:13:16 AM
68	1,818.0			0.02	1.13	0:01:08	18-Feb-19 9:13:17 AM
69	2,018.3			0.02	1.15	0:01:09	18-Feb-19 9:13:18 AM
70	2,079.9			0.02	1.17	0:01:10	18-Feb-19 9:13:19 AM
71	2,203.1			0.02	1.18	0:01:11	18-Feb-19 9:13:20 AM
72	2,202.7			0.02	1.20	0:01:12	18-Feb-19 9:13:21 AM
73	2,200.8			0.02	1.22	0:01:13	18-Feb-19 9:13:22 AM
74	2,199.8			0.02	1.23	0:01:14	18-Feb-19 9:13:23 AM
75	2,198.4			0.02	1.25	0:01:15	18-Feb-19 9:13:24 AM
76	2,197.8			0.02	1.27	0:01:16	18-Feb-19 9:13:25 AM
77	2,197.2			0.02	1.28	0:01:17	18-Feb-19 9:13:26 AM
78	2,195.9			0.02	1.30	0:01:18	18-Feb-19 9:13:27 AM
79	2,193.6			0.02	1.32	0:01:19	18-Feb-19 9:13:28 AM
80	2,192.8			0.02	1.33	0:01:20	18-Feb-19 9:13:29 AM
81	2,191.3			0.02	1.35	0:01:21	18-Feb-19 9:13:30 AM
82	2,190.8			0.02	1.37	0:01:22	18-Feb-19 9:13:31 AM
83	2,189.7			0.02	1.38	0:01:23	18-Feb-19 9:13:32 AM
84	2,189.2			0.02	1.40	0:01:24	18-Feb-19 9:13:33 AM

85	2,188.8	0.02	1.42	0:01:25	18-Feb-19 9:13:34 AM
86	2,188.0	0.02	1.43	0:01:26	18-Feb-19 9:13:35 AM
87	2,173.9	0.02	1.45	0:01:27	18-Feb-19 9:13:36 AM
88	2,127.0	0.02	1.47	0:01:28	18-Feb-19 9:13:37 AM
89	2,124.7	0.02	1.48	0:01:29	18-Feb-19 9:13:38 AM
90	2,088.2	0.03	1.50	0:01:30	18-Feb-19 9:13:39 AM
91	2,069.0	0.03	1.52	0:01:31	18-Feb-19 9:13:40 AM
92	2,059.3	0.03	1.53	0:01:32	18-Feb-19 9:13:41 AM
93	1,628.9	0.03	1.55	0:01:33	18-Feb-19 9:13:42 AM
94	53.2	0.03	1.57	0:01:34	18-Feb-19 9:13:43 AM
95	-6.8	0.03	1.58	0:01:35	18-Feb-19 9:13:44 AM
96	-8.9	0.03	1.60	0:01:36	18-Feb-19 9:13:45 AM
97	-8.9	0.03	1.62	0:01:37	18-Feb-19 9:13:46 AM
98	-7.4	0.03	1.63	0:01:38	18-Feb-19 9:13:47 AM
99	-6.4	0.03	1.65	0:01:39	18-Feb-19 9:13:48 AM
100	-5.0	0.03	1.67	0:01:40	18-Feb-19 9:13:49 AM
101	-4.3	0.03	1.68	0:01:41	18-Feb-19 9:13:50 AM
102	-3.3	0.03	1.70	0:01:42	18-Feb-19 9:13:51 AM
103	-1.2	0.03	1.72	0:01:43	18-Feb-19 9:13:52 AM
104	-0.3	0.03	1.73	0:01:44	18-Feb-19 9:13:53 AM
105	-0.3	0.03	1.75	0:01:45	18-Feb-19 9:13:54 AM
106	-0.3	0.03	1.77	0:01:46	18-Feb-19 9:13:55 AM

## Data Collection Report

Gauge Information	
Make	Vaetrix
Model	ETG-3K-I-BT
Serial Number	1541348789

Session Information			
Start Time	18-Feb-19 9:12:09 AM	High Alarm	Disabled
Stop Time	18-Feb-19 9:13:55 AM	Low Alarm	Disabled
Logging interval	0:00:01		
Units	PSI		

